

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/605,703	10/21/2003		Thomas K.F. Foo	GEMS8081.179	2702
27061	7590	12/07/2004		EXAMINER	
		ENT SOLUTION RBURG ROAD	ARANA,	ARANA, LOUIS M	
MEQUON,			ART UNIT	PAPER NUMBER	
,				2859	

DATE MAILED: 12/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/605,703	FOO, THOMAS K.F.				
Office Action Summary	Examiner	Art Unit				
	Louis M. Arana	2859				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	I36(a). In no event, however, may a reply be tin ly within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on	- •'					
· · · / — / —	s action is non-final.					
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
5)⊠ Claim(s) <u>1-30</u> is/are allowed. 6)□ Claim(s) is/are rejected. 7)□ Claim(s) is/are objected to.	 ✓ Claim(s) 1-30 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. ✓ Claim(s) 1-30 is/are allowed. Claim(s) is/are rejected. Claim(s) is/are objected to. 					
Application Papers						
9)☐ The specification is objected to by the Examina						
	☑ The drawing(s) filed on 21 October 2003 is/are: a) accepted or b) ☑ objected to by the Examiner.					
• • • • • • • • • • • • • • • • • • • •	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the E						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)	<u>-</u>					
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)					
 Notice of Draftsperson's Patent Drawing Review (PTO-946) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 10/03. 		Patent Application (PTO-152)				

Application/Control Number: 10/605,703 Page 2

Art Unit: 2859

DETAILED ACTION

Drawings

- 1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: reference numeral "70" to designate the "conventional pulse sequence". Also, Figure 2 (top or left) should be designated by a legend such as --Prior Art--because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 2. The examiner suggests that the two pulse sequences shown in Fig.2 be designated separately as Fig.2a and 2b respectively. Note that if this suggestion is adopted, the specification (including the Brief description of the drawings should be amended to reflect this change and be consistent with the same.

Allowable Subject Matter

3. Claims 1-30 are allowed.

Application/Control Number: 10/605,703 Page 3

Art Unit: 2859

4. The following is a statement of reasons for the indication of allowable subject matter: The prior art considered does not disclose or fairly suggest the combined use of non-selective preparation pulses with notched preparation pulses in a sequence for Magnetic Resonance data acquisition.

5. This application is in condition for allowance except for the following formal matters:

Correction of Fig. 2.

Prosecution on the merits is closed in accordance with the practice under Exparte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Louis M. Arana whose telephone number is (571) 272-2236. The examiner can normally be reached on M-Thurs. Fridays Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F Gutierrez can be reached on (703) 308-3875. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2859

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Louis M. Arana Primary Examiner Art Unit 2859

lma 12/2/04